


茨城県型側溝 KUS300×300・350・400

製品図




寸法表

呼び名	寸法 (mm)																		重量 (kg)
	B	B1	H	B0	H0	D0	D1	D2	D3	H1	C	C1	B2	E	F	G	J	R	
KUS300×300	300	260	300	545	460	122.5	67.5	5	50	100	60	60	300	130	67	263	69.5	50	360
KUS300×400	300	250	400	565	570	132.5	67.5	5	60	100	70	70	300	134	67	369	69.5	50	485
KUS350×350	350	305	350	605	515	127.5	67.5	5	55	100	65	65	350	132	67	316	69.5	50	434
KUS350×400	350	300	400	615	570	132.5	67.5	5	60	100	70	70	350	134	67	369	69.5	50	501
KUS400×400	400	350	400	665	570	132.5	67.5	5	60	100	70	70	400	134	68	369	69.5	50	522
KUS400×500	400	335	500	675	675	137.5	67.5	5	65	100	75	75	400	136	68	471	68.0	50	632

茨城県型側溝 KUR300×300・350・400

製品図





寸法表

呼び名	寸法 (mm)																		重量 (kg)
	B	B1	H	B0	H0	D0	D1	D2	70	H1	C	C1	B2	E	F	G	J	R	
KUR300×300	300	260	300	585	520	142.5	67.5	5	70	130	90	90	350	180	58	282	60.5	50	561
KUR300×400	300	250	400	605	630	152.5	67.5	5	80	130	100	100	350	184	58	366	60.5	50	720
KUR350×350	350	305	350	645	575	147.5	67.5	5	75	130	95	95	400	182	58	335	60.5	50	660
KUR350×400	350	300	400	655	630	152.5	67.5	5	80	130	100	100	400	184	58	388	60.5	50	743
KUR400×400	400	350	400	705	630	152.5	67.5	5	80	130	100	100	450	184	58	388	60.5	50	772
KUR400×500	400	335	500	725	740	162.5	67.5	5	90	130	110	110	450	189	59	492	61.5	50	960



茨城県型側溝歩道用蓋 IS・ISL

製品図

IS



ISL




寸法表

呼び名	寸法		重量 (kg)
	b	t	
IS-300	430	100	51
IS-350	480	100	56
IS-400	530	100	62
ISL-300	430	100	104
ISL-350	480	100	115
ISL-400	530	100	128


茨城県型側溝歩道用蓋 IR・IRL

製品図

IS



ISL



寸法表

呼び名	寸法		重量 (kg)
	b	t	
IR-300	430	130	65
IR-350	480	130	74
IR-400	530	130	82
IRL-300	430	130	136
IRL-350	480	130	152
IRL-400	530	130	167